

HUBER Griglia a nastro EscaMax®



Versatile griglia per diverse applicazioni

- Elevato tasso di separazione grazie agli elementi di filtrazione bidimensionali
- Esecuzione compatta e robusta
- Semplice da inserire in canali esistenti
- Per canali profondi e livelli elevati
- Diametro fori ≥ 3 mm

The EscaMax® complements the well-known HUBER program for municipal and industrial wastewater screening, as it is particularly well suited in situations where excellent separation efficiency is required in deep channels with high water levels.

The sturdy EscaMax® screen is able to reliably cope with even high amounts of gravel and grit. The twodimensional screening elements prevent especially long fibres from passing through the screen and achieve thus the maximum separation efficiency.

Perforated screening elements provide superior separation efficiency in comparison with slit screening elements. It has been determined that two-dimensional perforations are better than onedimensional slits.

Formation of screenings rolls is prevented by rake bars extending over the full width of the screen in combination with the screen's installation angle. Even cans and bottles are lifted by these rakes.

At their upper turning point the perforated plates are continuously cleaned by a fast counterrotating brush which increases the cleaning

energy and thus significantly improves the cleaning efficiency. Cleansing is supported by an integrated spray bar.

Vantaggi

THE BENEFITS OF THE ESCAMAX® SCREEN AT A GLANCE

- Excellent separation efficiency due travelling perforated plates
- Reliable cleansing of the perforated plates with a rotating brush
- No scraper roller for trough edge cleaning required
- All bearings are maintenance-free. All submerged bearings are wear-resistant ceramic bearings.
- Compact design with a low installation height above ground level
- Completely odour-encased screen with easy to remove covers
- Easy-to-retrofit into existing channels, installation without channel recesses possible
- The screen consists of a self-supporting folded stainless steel profile so that it can easily be lifted out of the channel.
- Not hindered by gravel or grit
- Simple and easy-to-access chain tensioning unit
- All machine components in contact with the medium are made of stainless steel and acid treated in a pickling bath (except chains, drives, bearings). As an option, the chains and chain wheels are available in stainless steel.


Downloads

 [Depliant: HUBER Belt Screen EscaMax® \(inglese\)](#) [pdf, 295 KB]

Applicazioni

- [A Wastewater Screening and Screenings Processing Case Study at WWTP Hull \(Saltend\)](#)
- [Case Study: Improvement of the Maer Lane STW Inlet Works](#)
- [HUBER supplies the equipment for a major sewage treatment works in Berlin](#)
- [Huber Technology upgrades the Inlet works at Duncrue Street, Belfast - a Wastewater case Study](#)
- [Excellent 84% separation results due to the consequent further development of the EscaMax® Belt Screen](#)

Principio di funzionamento




Media





Video: HUBER Belt Screen
EscaMax®

<https://www.youtube.com/watch?v=g-aczj1GDiY>



Animation: HUBER Belt Screen
EscaMax®

https://www.youtube.com/watch?v=o_W8bJZXIMY

Altri prodotti della gamma: Griglie a pettine e rotative

- [HUBER RakeMax® Griglia a Barre](#)
- [HUBER Multi-Rake Bar Screen RakeMax® HF \(high flow\)](#)
- [HUBER Griglia a BarreRake Max® CF](#)
- [HUBER Band Screen CenterMax®](#)
- [HUBER Grigliatura con benna TrashLift](#)

HUBER Technology srl
P.IVA e C.F. 01689490215
Cap. Soc. Euro 600.000,00 int. ver.
Iscr. al Registro delle Imprese
di Bolzano n. 01689490215

Sede amministrativa:
Zona Produttiva Vurza, 22
39055 Pineta di Laives (BZ)
Tel. 0471.590107
Fax 0471.594280

Sede commerciale:
Via A. Meucci, 35
27055 Rivanazzano (PV)
Tel. 0383.934023
Fax 0383.944453

Internet:
www.huber.de
www.hubertec.it
info@hubertec.it

